

PRORESTORE™

PRODUCTS

Material Safety Data Sheet

1. Chemical Product & Company Data

Product Name: Double O™	
Manufacturer: ProRestore Products 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340	Supplier:

2. Ingredients

Name	CAS #	UN #	% by volume
D-Limonene	5989-27-5		5-10
Dipropylene Glycol	25265-71-8		40-70
1-chloro-2-methyl benzene (monochlorotoluene, mixed isomers)	25168-05-2		5-10
Octylphenoxypolyethoxyethanol (nonionic surfactant)	9036-19-5		10-30
Fragrance - Essential Oil	n. av.		15-40

3. Hazards Identification

Emergency Overview	
Combustible liquid.	Skin and eye irritant
NOTE: Hazard information is based on the characteristics of the components of this mixture.	
Ingestion - May cause abdominal discomfort, nausea, vomiting and diarrhea. Drowsiness or unconsciousness may occur.	
Inhalation - Low concentration of the vapor may cause irritation of the respiratory tract with possible chest pain and coughing. High concentrations may cause headache and drowsiness.	
Eye Contact - Causes severe eye irritation and possible corneal injury.	
Skin Contact - Prolonged contact may cause discomfort, redness, drying and defatting of the skin.	

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.
Inhalation - Remove to fresh air. Administer artificial respiration if not breathing.
Eye Contact - Flush eyes with water for 15 minutes. Seek immediate medical attention.
Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.

Double O

5. Fire Fighting Measures

Flammability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If yes, under which conditions?	Combustible liquid. Potential fire hazard when exposed to excessive heat, flame or other sources of ignition.
Flashpoint: 127 °F (52.7 °C)	Upper flammable limit % by volume n. av.	Lower flammable limit % by volume n. av.
Autoignition temperature n. av.	Hazardous combustion products Carbon monoxide and/or carbon dioxide	Explosion data n. ap.
Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel.		

6. Accidental Release Measures

Eliminate all sources of ignition.
 Wear personal protective equipment.
 Do not allow spill to reach watercourse or sewers.
 Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.
 Collect and store waste materials in suitable containers for disposal i.e. metal drums.

7. Handling & Storage

Extinguish all sources of ignition in the work area. If the product is stored in metal containers the container must be grounded and bonded prior to dispensing the liquid. To prevent vapor escaping to the atmosphere keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid cabinet. Check local Health and Safety Authority for the volume limits in these situations. Eye-wash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non essential personnel prior to application of product.

8. Exposure Controls & Personal Protection

Personal Protective Equipment		
Gloves Natural Rubber	Respirator NIOSH TC-23C organic vapor respirator or equivalent	Eye Goggles or full face respirator
Footwear n. ap.	Clothing Coveralls or equivalent	Other n. ap.
Exposure Guidelines		
none established for product		

Double O

9. Physical and Chemical Properties

Physical state Liquid	Odor and appearance Clear orange yellow liquid with a citrus like odor	
Odor threshold (ppm) n. av.	Vapor pressure (mm Hg) ~ 5	Vapor density (Air=1) n. av.
Evaporation (butyl acetate = 1) n.av.	Boiling point 233.6 °F (122 °C)	Freezing point n. av.
pH 8.2	Specific gravity 0.96	Coefficient water/oil distribution n. av.
Solubility in water 100%	Viscosity @ 100.4 °F (38 °C) 3.48 cs	% Volatiles (by weight) n. av.

10. Stability and Reactivity

Chemical Stability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If no, under which conditions?	
Incompatibility with other substances Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If yes, under which conditions?	Avoid contact with strong oxidizing and reducing agents.
Reactivity, and under what conditions?	Stable under normal conditions.	
Hazardous decomposition products?	Hazardous combustion products, carbon dioxide, carbon monoxide, hydrogen chloride gas	

11. Toxicological Information

Route of Entry Skin Contact <input checked="" type="checkbox"/> Skin Absorption <input type="checkbox"/> Eye Contact <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/>			
Orthochlorotoluene	LD50 oral, rat 2350 mg/kg LD50 dermal, rabbit > 7940 mg/kg LC rat 4 hr. > 3471 ppm		
Parachlorotoluene	LD50 oral, rat 2100 mg/kg LD50 dermal, rabbit > 2000 mg/kg		
D-Limonene	LD50 oral, rat > 5g/kg		
Carcinogenicity No	Mutagenicity No	Teratogenicity No	Reproductive toxicity No
Synergistic products No	Sensitization No	Neurotoxicity No	Target organs Eyes and Skin

12. Ecological Information

Octylphenoxypolyethoxyethanol (CAS # 9036-19-5) Aquatic effects 96 hr. Fathead Minnow LC50 8.9mg./L

Double O

13. Disposal Considerations

Do not dispose of product in storm or sanitary sewer systems.
Do not allow discharge into groundwater or a watercourse.
If product is to be disposed of, contact a licensed or registered waste disposal firm to incinerate the product.

14. Transport Information

Shipping Name: COMBUSTIBLE LIQUID

Hazard Class:

UN Identification #:

US ground (truck or rail shipments)

This product is not regulated by the US DOT for truck or rail shipments in containers of 119 gallons or less.

Does not apply to transportation via vessel or air.

Double O contains an ingredient considered to be a marine pollutant.

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a **combustible liquid and as a skin and eye irritant** - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification **B3 D2B**


This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

16. Other Information

HMIS (U.S.A.)

Health Hazard	1
Fire Hazard	2
Reactivity	0
Personal Protection	c

National Fire Protection
Association (U.S.A.)



This product is a commercial deodorizing chemical.

For chemical emergency during transportation call INFOTRAC (US) **1-800-535-5053** (INT'L) **1-352-323-3500**

Prepared by: ProRestore Products, Coraopolis, PA / Cliff Zlotnik

Phone No: 1-412-264-8340

Date: March 11, 2009

Abbreviations:

n. av. = not available
mm Hg = millimeters of Mercury
COC = Cleveland Open Cup
LD = Lethal Dose

n. ap. = not applicable
PMCC = Pensky Martens Closed Cup
TWA = Time Weighted Average
LC = Lethal Concentration

ppm = parts per million
TCC = Tagliabue Closed Cup
STEL = Short Term Exposure Limit
CS = centistokes