



## **PARABOND M-267 Premium Latex Carpet Seaming Adhesive**

### **ENVIRONMENTAL/PERFORMANCE**

- **Non-hazardous**
- **Fast drying**
- **High solids**

### **DESCRIPTION:**

Parabond M-267 Premium Latex Carpet Seaming Adhesive is a natural latex adhesive designed for the application of carpet seaming and reinforcing tapes. It may also be used for replacing damaged or burned nap, sealing raw edges, strengthening worn backing and joining padding.

Parabond M-267 Premium Latex Carpet Seaming Adhesive is extremely fast drying, easy spreading, non-toxic, non-flammable and colorless when dry. Bonding strength increases with age and will not deteriorate after shampooing.

### **SURFACE PREPARATION:**

Be sure all surfaces are clean, dry and free of dust, wax or any type of polish.

### **DIRECTIONS:**

Shake container well before using.

### **BACK SEAMING:**

1. Spread adhesive the length of the seam making sure you have even coverage.
2. Scrape excess adhesive toward center of the seam. Heavier ribbed carpet requires more adhesive.
3. Unroll seaming tape the length of the seam and tack both ends.
4. Smooth the entire length of the tape's surface to adhere tape and remove any wrinkles.
5. Allow to dry.

### **FACE SEAMING:**

1. Unroll face seaming tape the length of the seam and apply adhesive.
2. Tape should be centered and tacked at both ends.

3. Smooth seam against tape.
4. Avoid too much pressure as you do not want to force adhesive into carpet face.
5. Allow to dry.

**CAUTION:** This product may cause staining to **hardwood, linoleum, etc.**

**Immediate clean up is recommended.**

### **COVERAGE:**

One Quart provides Approx. 340 linear feet of 1/8" bead.

### **CLEAN UP:**

Adhesive may be removed from carpet while still wet by repeated sponging with water and detergent. If adhesive has dried on the carpet, use PARABOND M-315 CLEANER/SOLVENT. Do not allow solvent to soak into the carpet; it will destroy the adhesive bond.

### **PHYSICAL PROPERTIES:**

Weight/gallon (lbs)	8.0
Consistency	Off-white Liquid
Set up time	30 to 60 seconds with pressure
Freeze thaw stable @	Temperatures of 20°F or higher
Shelf Life	6 months

### **FOR MORE INFORMATION READ MATERIAL SAFETY DATA SHEET**

### **KEEP OUT OF REACH OF CHILDREN**

### **WARRANTY:**

Para-Chem's only obligation shall be to replace or pay for any adhesive proved defective when authorized in writing by the company. Beyond the purchase price of materials supplied by us, we assume no liability for any damages of any kind and the user accepts the product "as is" and without warranties, expressed or implied. The suitability of the product for an intended use shall be solely up to the user. 10-30-02

ISO 9001 Certified

Corporate Address: PO Box 127 • Simpsonville, SC 29681-0127 • 800-763-7272 • Fax: 864-228-1491  
Manufacturing Facilities: Simpsonville, SC • Philadelphia, PA • Dalton, GA • Mansfield, TX • Adelanto, CA  
[www.parabond.com](http://www.parabond.com)

# MATERIAL SAFETY DATA SHEET

Page 1

*Para-Chem<sup>®</sup>, PO Box 127, Simpsonville, SC 29681*

*24-Hour Emergency Telephone: (864) 967-7691*

---

## SECTION 1. PRODUCT IDENTIFICATION

---

PRODUCT NAME: PARABOND<sup>®</sup> M-267

CHEMICAL FAMILY: Water Base Adhesive

---

## SECTION 2. HAZARDOUS INGREDIENTS AND EXPOSURE LIMITS

---

<u>Chemical Name</u>	<u>CAS Number</u>	<u>% by Weight</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>
None				

---

## SECTION 3. HAZARDS IDENTIFICATION

---

PRIMARY ROUTES OF ENTRY: Eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

POTENTIAL HEALTH EFFECTS:

EYE CONTACT: May cause slight irritation.

SKIN CONTACT: No effect known.

INGESTION: Not likely to occur. If swallowed, no side effects known.

INHALATION: No effect known.

CHRONIC: None known.

CARCINOGENICITY: This product contains no ingredient listed as a carcinogen by IARC, NTP, or OSHA.

---

## SECTION 4. FIRST AID MEASURES

---

EYE CONTACT: Flush with water for 15 minutes. Contact a physician if irritation occurs.

SKIN CONTACT: Wash with soap and water.

INGESTION: Induce vomiting, contact a physician.

---

## SECTION 5. FIRE-FIGHTING MEASURES

---

FLASH POINT (°)F: None.

LOWER FLAMMABLE LIMIT: None.

UPPER FLAMMABLE LIMIT: None.

FIRE-FIGHTING INSTRUCTIONS: Use protective clothing and self-contained breathing apparatus.

EXTINGUISHING MEDIA: Water fog, CO<sub>2</sub>, dry chemical, and chemical foam.

DECOMPOSITION PRODUCTS: Dried material may produce CO, CO<sub>2</sub>, H<sub>2</sub>O, N<sub>x</sub>O, and other products from the burning of aromatic hydrocarbons. See Section II.

# MATERIAL SAFETY DATA SHEET

Page 2

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Dispense sand, sawdust, or vermiculite. Collect and place in waste container. Wash area thoroughly with water.

---

## SECTION 7. HANDLING AND STORAGE

---

HANDLING: Use good hygienic practices. (Wash hands before eating, using washroom, or smoking.)  
Keep out of the reach of children.

STORAGE: Store above 40°F.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: Wear splash goggles if contact with material is likely.

SKIN PROTECTION: Wear gloves goggles if contact with material is likely.

RESPIRATORY PROTECTION: Not normally required with good ventilation.

ENGINEERING CONTROLS: Normal room ventilation.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

BOILING POINT (°F): 212

SPECIFIC GRAVITY (WATER = 1): 1.1

VAPOR PRESSURE: Same as water.

VAPOR DENSITY (air=1): Same as water.

% VOLATILE BY WEIGHT: 40

pH: 9.5

APPEARANCE AND ODOR: Light straw colored paste.

GRAMS VOLATILE ORGANIC COMPOUNDS/LITER OF COATING: 0 (Based on no solvent.)

GRAMS VOLATILE ORGANIC COMPOUNDS/LITER OF MATERIAL: 0 (Based on no solvent.)

---

## SECTION 10. STABILITY AND REACTIVITY

---

CHEMICAL STABILITY: Stable.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

This product has been tested for toxicity (acute inhalation; acute dermal; skin irritation; oral) and has been found to be non-toxic as defined by The Federal Hazardous Substance Act, 16 CFR 1500.3.

