

**Section I**

Manufacturer's Name  
 Duraclean International, Inc.

Emergency Telephone Number  
 847-704-7100

Address (Number, Street, City, State, Zip  
 220 Campus Drive

Chemical Name  
 and Synonyms N/A

Arlington Heights, IL 60004

Trade Name  
 and Synonyms Drapery Wrinkle Remover

Chemical Family Aqueous-based glycol solution Formula N/A

**Section II - Hazardous Ingredients**

Paints, Preservatives, & Solvents	%	TLV UNITS	Alloys & Metallic Castings	%	TLV UNITS
Pigments			Base Metal		
Catalyst			Alloys		
Vehicle			Metallic Coatings		
Solvents			Filler Metal + Coating or Core Flux		
Additives			Others		
Others					

Hazardous Mixtures of Other Liquids, Solids or Gases	%	TLV UNITS
A blend of diethylene glycol & wetting agents in a water base.		Not estab
Diethylene Glycol		50 ppm

**Section III - Physical Data**

Boiling Point (°F)		Specific Gravity (H2O=1)	
Vapor Pressure (mmHg)		Percent Volatile by Volume (%)	

**Section III - Physical Data continued**

Vapor Density (AIR=1)		Evaporation Rate =1)	
-----------------------	--	-------------------------	--

Solubility in Water  
completely miscible

Appearance & Odor  
light yellow solution, mild odor

**Section IV - Fire & Explosion Hazard Data**

Flash Point (Method Used) none	Flammable Limits	Lel	Uel
-----------------------------------	------------------	-----	-----

Extinguishing Media

Special Fire Fighting Procedures

Unusual Fire & Explosion Hazards

**Section V - Health Hazard Data**

Threshold Limit Value  
not established (200 ppm estimated)

Effects of Overexposure: Eye contact: slight irritation. Skin: repeated or prolonged contact can cause irritation & possible damage. Ingestion: Toxic. Inhalation: can result in central nervous system depression.

Emergency First Aid Procedures: Eye: immediately flush with water for 15 minutes. Skin: wash off with soap & water. If irritation persists, obtain medical attention. Ingestion: immediately induce vomiting. Call a physician. Inhalation: remove to fresh air. Obtain medical attention.

**Section VI - Reactivity Data**

Stability,	Unstable		Conditions to Avoid
	Stable	X	

Incompatibility (Materials to Avoid)  
strong oxidizers

Hazardous Decomposition Products

**Section VI- Reactivity Data** continued

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**Section VII - Spill or Leak Procedures**

Steps to be taken in case material is Released or Spilled  
For large quantities: provide maximum ventilation. Soak up spilled material with an inert absorbent. Shovel into waste container, seal & remove from work area.

Waste Disposal Method  
For large quantities: dispose in an approved waste management landfill.

**Section VIII - Special Protection Information**

Respiratory Protection (Specify Type) Not normally required. In emergency, use MSHA-NIOSH approved respirator with organic cartridge.

Ventilation	Local Exhaust: natural draft is adequate	Special
	Mechanical (General)	Other

Protective Gloves Rubber	Eye Protection Safety goggles
-----------------------------	----------------------------------

Other Protective Equipment

**Section IX - Special Precautions**

Precautions to be Taken in Handling and Storing  
Store in a cool area.

Other Precautions  
Do NOT take internally.